	Hits	Search Text	DBs
1	2	"6167037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"5673260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	5	("5111478" | "5329547" | "5345469" | "5535239" | "5790588").PN.	USPAT
4	7	("4455662" | "4672658" | "4759034" | "4969159" | "5022047" | "5103459" | "5179571").PN.	USPAT
5	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long or multiply or multiplex or mix)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	12	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	"5103459".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	729	(((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	3	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and ((group adj of adj base adj stations) or network) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	0	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (group adj of adj base adj stations) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (group with (stations or station)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	17	(cdma) and (((repetition adj period) or length) with ("same" or equal or equivalent or equivocate) with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (((repetition adj period) or length) with "same" with (data or information or input) with (short or long)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	2	(cdma) and ((((repet$7 or repeat$7) adj period$7) or length$7) with ("same" or equal$7 equiv$7) with (data or information$7 or input$7) with (short$7 or long$7)) and ((group$7 or batch$7) with (station$7)) and (@rlad<"19980507" or @prad<"19980507" or @ad<"19980507")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	17	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (bas$7 near2 station$7 near2 group$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	15	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (bas$7 near2 station$7 near2 group$7) and (repeat$7 or repet$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	((375/130, 375/140, 375/141, 375/146, 375/147).ccls.) and (bas$7 near2 station$7 near2 group$7) and ((repeat$7 or repet$7) near2 period$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	23	(base near2 station$7 near2 group$7) and ((repeat$7 or repet$7) near2 period$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	(base near2 station$7 near2 group$7 near2 (identif$7 or id$2 or cod$7)) and ((repeat$7 or repet$7) near2 period$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	12	(("5920554") or ("6594238") or ("6011787") or ("5920554") or ("6608823") or ("6574205") or ("6169752") or ("6594238") or ("6011787")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1	wo-18029-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	ep-1096710-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	10	((identi$7 or id$2) near2 group$7 near2 (base adj stations$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	(spread$7 near2 (cod$7 or (identi$7 or id$2)) near2 group$7 near2 (base adj stations$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	(spread$7 near2 group$7 near2 (base adj stations$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	109	(spread$7 near2 (base adj stations$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	20	(spread$7 adj2 (base adj stations$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	742	(spread$7 near2 group$7) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	39	((spread$7 near2 (group$7 or set$7)) with (base adj station$7)) and @ad<"19980507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	1	jp-06501349-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	ep-825737-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB